European Journal of Pharmacology, 176 (1990) 375–378
Elsevier

Author index

Albino-Teixeira, A., see Sarmento, A. (176) 69
Allen, J., see Schoemaker, H. (176) 249
Antona, C., see Conti, A. (176) 207
Arnt, J., see Skarsfeldt, T. (176) 135
Azevedo, I., see Sarmento, A. (176) 69

Berger, P., Elsworth, J.D., Reith, M.E.A., Tanen, D. and Roth, R.H.
Complex interaction of cocaine with the dopamine uptake carrier (176) 251
Besson, M.-J., see Mitrovic, N. (176) 357
Beyer, C., see López-Colomé, A.M. (176) 297
Bierkamper, G.G., see Smith, K.A. (176) 45
Biglioli, P., see Conti, A. (176) 207
Bradley, R.J., Edge, M.T. and Chau, W.-C.
The α-neurotoxin erabutoxin b causes fade at the rat end-plate (176) 11
Bramwell, S.R., see Sharp, T. (176) 331
Braquet, P., see Touvay, C. (176) 23
Brzozowski, T., see Konturek, S.J. (176) 187
Burnstock, G., see Saville, V.L. (176) 117

Cancela, L., Volosin, M. and Molina, V.A.
Opioid involvement in the adaptive change of 5-HT_1 receptors induced by chronic restraint (176) 313
Carboni, S., see Pani, L. (176) 245
Carboni, S., see Rossetti, Z.L. (176) 229
Carruba, M.O., see Nisoli, E. (176) 85
Chabrier, P.-E., see Touvay, C. (176) 23
Chan, S.L.F. and Morgan, N.G.
Stimulation of insulin secretion by efaroxan may involve interaction with potassium channels (176) 97
Chang, B., see Ishii, K. (176) 219
Chau, W.-C., see Bradley, R.J. (176) 11
Chiba, K., Hayashi, Y., Hisa, H., Suzuki-Kusaba, M. and Satoh, S.
Effects of a novel α_1-adrenoceptor antagonist, SGB-1534, on adrenergically induced renal vasoconstriction in dogs (176) 263
Chiu, T.H., see Ngur, D.O. (176) 351
Chodkowska, A., see Czuczwar, S.J. (176) 75
Conti, A., Monopoli, A., Forlani, A., Ongini, E., Antona, C. and Biglioli, P.
Role of 5-HT_2 receptors in serotonin-induced contraction in the human mammary artery (176) 207
Cortijo, J., see Sanz, C.M. (176) 177
Coughlan, J., see Dourish, C.T. (176) 35

Czuczwar, S.J., Chodkowska, A., Kleinrok, Z., Małek, U. and Jagiełło-Wójtowicz, E.
Effects of calcium channel inhibitors upon the efficacy of common antiepileptic drugs (176) 75

Deighton, N.M., see Yakubu, M.A. (176) 305
Dourish, C.T., O'Neill, M.F., Coughlan, J., Kitchener, S.J., Hawley, D. and Iversen, S.D.
The selective CCK-B receptor antagonist L-365.260 enhances morphine analgesia and prevents morphine tolerance in the rat (176) 35
Drozdowicz, D., see Konturek, S.J. (176) 187

Edge, M.T., see Bradley, R.J. (176) 11
Elsworth, J.D., see Berger, P. (176) 251
Esplugues, J., see Sanz, C.M. (176) 177

Ferkany, J.W., see Karbon, E.W. (176) 247
Ford, L.M., see Norman, A.B. (176) 363
Forlani, A., see Conti, A. (176) 207
Fox, A.J., see Hall, J.M. (176) 127
Fung, H.-L., see Kowaluk, E.A. (176) 91

Genovese, R.F.
Effects of azaprophen, scopolamine and trihexyphenidyl on schedule-controlled behavior, before and after chronic physostigmine (176) 271
Gessa, G.L., see Pani, L. (176) 245
Gessa, G.L., see Rossetti, Z.L. (176) 229
Giachetti, A., see Maggi, C.A. (176) 1
Gilfillan, A.M., Wiggan, G.A., Hope, W.C., Patel, B.J. and Welton, A.F.
Ro 19-3704 directly inhibits immunoglobulin E-dependent mediator release by a mechanism independent of its platelet-activating factor antagonist properties (176) 255
Gill, R. and Woodruff, G.N.
The neuroprotective actions of kynurenic acid and MK-801 in gerbils are synergistic and not related to hypothermia (176) 143
Giuliani, S., see Maggi, C.A. (176) 1
Goldie, R.G., see Self, G.J. (176) 169
Grahame-Smith, D.G., see Sharp, T. (176) 331
Grant, K.A., Valverius, P., Hudspith, M. and Tabakoff, B.
Ethanol withdrawal seizures and the NMDA receptor complex (176) 289

0014-2999/90/$03.50 © 1990 Elsevier Science Publishers B.V. (Biomedical Division)

Hall, J.M., Fox, A.J. and Morton, I.K.M.
Peptidase activity as a determinant of agonist potencies in some smooth muscle preparations (176) 127
Hamilton, C.A., see Yakubu, M.A. (176) 305
Hawley, D., see Dourish, C.T. (176) 35
Hayashi, Y., see Chiba, K. (176) 263
Hecker, M., see Mitchell, J.A. (176) 253
Hirata, Y., Kanno, K., Watanabe, T.X., Kumagaye, S.-i., Nakajima, K., Kimura, T., Sakakibara, S. and Marumo, F.
Receptor binding and vasoconstrictor activity of big endothelin (176) 225
Hisa, H., see Chiba, K. (176) 263
Hisa, H., see Yoneda, H. (176) 109
Hjorth, L.I.B.S., see Sharp, T. (176) 331
Hope, W.C., see Gilfillan, A.M. (176) 255
Hoyer, D., see Waeber, C. (176) 233
Huang, Z.-J., see Ishii, K. (176) 219
Hudspith, M., see Grant, K.A. (176) 289
Hyttel, J., see Skarsfeldt, T. (176) 135

Ichikawa, J. and Meltzer, H.Y.
The effect of chronic clozapine and haloperidol on basal dopamine release and metabolism in rat striatum and nucleus accumbens studied by in vivo microdialysis (176) 371
Imura, H., see Maeda, T. (176) 341
Ishii, K., Chang, B., Kerwin, Jr., J.F., Huang, Z.-J. and Murad, F.
N^{ω}-Nitro-L-arginine: a potent inhibitor of endothelium-derived relaxing factor formation (176) 219
Ito, M., see Tsuda, H. (176) 321
Itoh, T., see Kuno, N. (176) 281
Itzhak, Y. and Kassim, C.O.
Clorgyline displays high affinity for σ binding sites in C57BL/6 mouse brain (176) 107
Iversen, S.D., see Dourish, C.T. (176) 35
Izutsu, K.T., see Mei, L. (176) 367

Jagiełło-Wójtowicz, E., see Czuczwar, S.J. (176) 75
Janowsky, D.S., see Morrisett, R.A. (176) 103

Kamisaki, Y., see Kuno, N. (176) 281
Kanno, K., see Hirata, Y. (176) 225
Karbon, E.W., Patch, R.J., Pontecorvo, M.J. and Ferkany, J.W.
Ifenprodil potently interacts with [^{3}H](+)-3-PPP-labeled σ binding sites in guinea pig brain membranes (176) 247
Kassim, C.O., see Itzhak, Y. (176) 107
Kataoka, Y., see Maeda, T. (176) 341
Kerwin, Jr., J.F., see Ishii, K. (176) 219
Kimura, T., see Hirata, Y. (176) 225
Kitchener, S.J., see Dourish, C.T. (176) 35
Kleinrok, Z., see Czuczwar, S.J. (176) 75
Kolmonpunporn, M., see Norman, A.B. (176) 363
Konturek, S.J., Brzozowski, T., Drozdowicz, D. and Nauert, C.
Role of intragastric pH in cytoprotection by antacids in rats (176) 187

Koulu, M., Pesonen, U. and Virtanen, R.
Chronic dexmedetomidine, a selective α_2-agonist, decreases serotonin but not noradrenaline turnover in rat brainstem nuclei (176) 151
Kowaluk, E.A. and Fung, H.-L.
Dissociation of nitrovasodilator-induced relaxation from cyclic GMP levels during in vitro nitrate tolerance (176) 91
Kumagaye, S.-i., see Hirata, Y. (176) 225
Kuno, N., Kamisaki, Y. and Itoh, T.
Inhibition of cyclic AMP accumulation by α_2-adrenoceptors in the rat cerebral cortex (176) 281
Kurihara, M., see Maeda, T. (176) 341
Kusmin, A., see Pani, L. (176) 245

Langer, S.Z., see Schoemaker, H. (176) 249
Lee, C.Y., see Lin, W.-W. (176) 57
Lin, W.-W. and Lee, C.Y.
Biphasic effects of endothelin in the guinea-pig ileum (176) 57
López-Colomé, A.M., McCarthy, M. and Beyer, C.
Enhancement of [^{3}H]muscimol binding to brain synaptic membranes by progesterone and related pregnanes (176) 297
Lutfy, K., see Yoburn, B.C. (176) 63

Maeda, T., Niwa, M., Shigematsu, K., Kurihara, M., Kataoka, Y., Nakao, K., Imura, H., Matsuo, H., Tsuchiyama, H. and Ozaki, M.
Specific [^{125}I]brain natriuretic peptide-26 binding sites in rat and pig kidneys (176) 341
Maggi, C.A., Giuliani, S., Patacchini, R., Santicioli, P., Giachetti, A. and Meli, A.
Further studies on the response of the guinea-pig isolated bronchus to endothelins and sarafotoxin S6b (176) 1
Małek, U., see Czuczwar, S.J. (176) 75
Marumo, F., see Hirata, Y. (176) 225
Matsuo, H., see Maeda, T. (176) 341
Maurin, Y., see Mitrovic, N. (176) 357
Maynard, K.I., see Saville, V.L. (176) 117
McCarthy, M., see López-Colomé, A.M. (176) 297
Mei, L., Roeske, W.R., Izutsu, K.T. and Yamamura, H.I.
Characterization of muscarinic acetylcholine receptors in human labial salivary glands (176) 367
Meli, A., see Maggi, C.A. (176) 1
Meltzer, H.Y., see Ichikawa, J. (176) 371
Memo, M., see Nisoli, E. (176) 85
Mencia-Huerta, J.M., see Touvay, C. (176) 23
Michel, A.D. and Whiting, R.L.
The binding of [^{3}H]4-diphenylacetoxy-N-methylpiperidine methiodide to longitudinal ileal smooth muscle muscarinic receptors (176) 197
Mikawa, H., see Tsuda, H. (176) 321
Missale, C., see Nisoli, E. (176) 85
Mitchell, J.A., Hecker, M. and Vane, J.R.
The generation of L-arginine in endothelial cells is linked to the release of endothelium-derived relaxing factor (176) 253

Mitrovic, N., Besson, M.-J. and Maurin, Y.
Anticonvulsant effects of antagonists of the N-methyl-D-aspartate receptor complex in a genetic model of epilepsy: the quaking mouse (176) 357
Molina, V.A., see Cancela, L. (176) 313
Monopoli, A., see Conti, A. (176) 207
Morcillo, E.J., see Sanz, C.M. (176) 177
Morgan, N.G., see Chan, S.L.F. (176) 97
Morrisett, R.A., Rezvani, A.H., Overstreet, D., Janowsky, D.S., Wilson, W.A. and Swartzwelder, H.S.
MK-801 potently inhibits alcohol withdrawal seizures in rats (176) 103
Morton, I.K.M., see Hall, J.M. (176) 127
Murad, F., see Ishii, K. (176) 219
Mutoh, K., see Tsuda, H. (176) 321

Nakajima, K., see Hirata, Y. (176) 225
Nakao, K., see Maeda, T. (176) 341
Nauert, C., see Konturek, S.J. (176) 187
Neuser, D., Zaiss, S. and Stasch, J.-P.
Endothelin receptors in cultured renal epithelial cells (176) 241
Ngur, D.O., Rosenberg, H.C. and Chiu, T.H.
Modulation of GABA-stimulated Cl^- flux by a benzodiazepine agonist and an 'inverse agonist' after chronic flurazepam treatment (176) 351
Nisoli, E., Memo, M., Missale, C., Carruba, M.O. and Spano, P.F.
Repeated administration of lisuride down-regulates dopamine D-2 receptor function in mesostriatal and in mesolimbocortical rat brain regions (176) 85
Niwa, M., see Maeda, T. (176) 341
Norman, A.B., Ford, L.M., Kolmonpunporn, M. and Sanberg, P.R.
Chronic treatment with MK-801 increases the quinolinic acid-induced loss of D-1 dopamine receptors in rat striatum (176) 363

O'Donnell, S.R., see Wanstall, J.C. (176) 159
Oguro, K., see Tsuda, H. (176) 321
O'Neill, M.F., see Dourish, C.T. (176) 35
Ongini, E., see Conti, A. (176) 207
Ortiz, J.L., see Sanz, C.M. (176) 177
Overstreet, D., see Morrisett, R.A. (176) 103
Ozaki, M., see Maeda, T. (176) 341

Palacios, J.-M., see Waeber, C. (176) 233
Pani, L., Carboni, S., Kusmin, A., Gessa, G.L. and Rossetti, Z.L.
Nimodipine inhibits cocaine-induced dopamine release and motor stimulation (176) 245
Pani, L., see Rossetti, Z.L. (176) 229
Passarelli, M.C., see Self, G.J. (176) 169
Patacchini, R., see Maggi, C.A. (176) 1
Patch, R.J., see Karbon, E.W. (176) 247
Patel, B.J., see Gilfillan, A.M. (176) 255
Perpiñá, M., see Sanz, C.M. (176) 177

Pesonen, U., see Koulu, M. (176) 151
Pons, F., see Touvay, C. (176) 23
Pontecorvo, M.J., see Karbon, E.W. (176) 247
Portas, C., see Rossetti, Z.L. (176) 229

Reid, J.L., see Yakubu, M.A. (176) 305
Reith, M.E.A., see Berger, P. (176) 251
Rezvani, A.H., see Morrisett, R.A. (176) 103
Rigby, P.J., see Self, G.J. (176) 169
Roeske, W.R., see Mei, L. (176) 367
Rosenberg, H.C., see Ngur, D.O. (176) 351
Rossetti, Z.L., Portas, C., Pani, L., Carboni, S. and Gessa, G.L.
Stress increases noradrenaline release in the rat frontal cortex: prevention by diazepam (176) 229
Rossetti, Z.L., see Pani, L. (176) 245
Roth, R.H., see Berger, P. (176) 251
Ruffolo, Jr., R.R., see Willette, R.N. (176) 237

Sakakibara, S., see Hirata, Y. (176) 225
Sanberg, P.R., see Norman, A.B. (176) 363
Santicioli, P., see Maggi, C.A. (176) 1
Sanz, C.M., Cortijo, J., Ortiz, J.L., Perpiñá, M., Sarría, B., Esplugues, J. and Morcillo, E.J.
Effect of dantrolene sodium in isolated guinea-pig trachea (176) 177
Sarmento, A., Albino-Teixeira, A. and Azevedo, I.
Amitriptyline-induced morphological alterations of the rat blood-brain barrier (176) 69
Sarría, B., see Sanz, C.M. (176) 177
Satoh, S., see Chiba, K. (176) 263
Satoh, S., see Yoneda, H. (176) 109
Sauermelch, C.F., see Willette, R.N. (176) 237
Saville, V.L., Maynard, K.I. and Burnstock, G.
Neuropeptide Y potentiates purinergic as well as adrenergic responses of the rabbit ear artery (176) 117
Schoemaker, H., Allen, J. and Langer, S.Z.
Binding of [^{3}H]ifenprodil, a novel NMDA antagonist, to a polyamine-sensitive site in the rat cerebral cortex (176) 249
Self, G.J., Rigby, P.J., Passarelli, M.C. and Goldie, R.G.
Characteristics and localisation of ^{125}I ion binding in mammalian airways (176) 169
Sharp, T., Hjorth, L.I.B.S., Bramwell, S.R. and Grahame-Smith, D.G.
Further investigation of the in vivo pharmacological properties of the putative 5-HT_{1A} antagonist, BMY 7378 (176) 331
Shigematsu, K., see Maeda, T. (176) 341
Shiraishi, H., see Tsuda, H. (176) 321
Shirasaka, Y., see Tsuda, H. (176) 321
Sierra, V., see Yoburn, B.C. (176) 63
Skarsfeldt, T., Arnt, J. and Hyttel, J.
L-5-HTP facilitates the electrically stimulated flexor reflex in pithed rats: evidence for 5-HT_2-receptor mediation (176) 135
Smith, K.A. and Bierkamper, G.G.
Paradoxical role of GABA in a chronic model of petit mal (absence)-like epilepsy in the rat (176) 45

Spano, P.F., see Nisoli, E. (176) 85
Stasch, J.-P., see Neuser, D. (176) 241
Suzuki-Kusaba, M., see Chiba, K. (176) 263
Swartzwelder, H.S., see Morrisett, R.A. (176) 103

Tabakoff, B., see Grant, K.A. (176) 289
Tanen, D., see Berger, P. (176) 251
Toll, L.
μ-Opioid receptor binding in intact SH-SY5Y neuroblastoma cells (176) 213
Tortella, F.C., see Yoburn, B.C. (176) 63
Touvay, C., Vilain, B., Pons, F., Chabrier, P.-E., Mencia-Huerta, J.M. and Braquet, P.
Bronchopulmonary and vascular effect of endothelin in the guinea-pig (176) 23
Tsuchiyama, H., see Maeda, T. (176) 341
Tsuda, H., Ito, M., Oguro, K., Mutoh, K., Shiraishi, H., Shirasaka, Y. and Mikawa, H.
Involvement of the noradrenergic system in the seizures of epileptic El mice (176) 321

Valverius, P., see Grant, K.A. (176) 289
Vane, J.R., see Mitchell, J.A. (176) 253
Vilain, B., see Touvay, C. (176) 23
Virtanen, R., see Koulu, M. (176) 151
Volosin, M., see Cancela, L. (176) 313

Waeber, C., Hoyer, D. and Palacios, J.-M.
Similar distribution of [^{125}I]sarafotoxin-6b and [^{125}I]endothelin-1, -2, -3 binding sites in the human kidney (176) 233
Wanstall, J.C. and O'Donnell, S.R.
Endothelin and 5-hydroxytryptamine on rat pulmonary artery in pulmonary hypertension (176) 159
Watanabe, T.X., see Hirata, Y. (176) 225
Welton, A.F., see Gilfillan, A.M. (176) 255
Whiting, R.L., see Michel, A.D. (176) 197
Wiggan, G.A., see Gilfillan, A.M. (176) 255
Willette, R.N., Sauermelch, C.F. and Ruffolo, Jr., R.R.
Local cutaneous hemodynamic effects of carvedilol and labetalol in the anesthetized rat (176) 237
Wilson, W.A., see Morrisett, R.A. (176) 103
Woodruff, G.N., see Gill, R. (176) 143

Yakubu, M.A., Deighton, N.M., Hamilton, C.A. and Reid, J.L.
Differences in the regulation of [^{3}H]idazoxan and [^{3}H]yohimbine binding sites in the rabbit (176) 305
Yamamura, H.I., see Mei, L. (176) 367
Yoburn, B.C., Lutfy, K., Sierra, V. and Tortella, F.C.
Tolerance develops to spinal morphine analgesia but not morphine-induced convulsions (176) 63
Yoneda, H., Hisa, H. and Satoh, S.
Effects of adenosine on adrenergically induced renal vasoconstriction in dogs (176) 109

Zaiss, S., see Neuser, D. (176) 241